

BATHYSCAFOCUS INDOOR SUSPENDED FIREPLACE



European Home

Manufacturer and Importer of high-end Gas, Wood and Electric Fireplaces



Iconic designs imported from Southern France



SPECIFICATIONS

FUEL TYPE	Wood
NOMINAL HEAT OUTPUT	5.5 KW
CARBON DIOXIDE OUTPUT	0.26%
VIEWABLE OPENING	22 7/8" W x 8 7/8" H
HEARTH WEIGHT	99 lbs.
FLUE WEIGHT	11 lbs.
ANCHOR PLATE WEIGHT	41 lbs.
VENTING	Natural Vent - 8" Inside Diameter (Class A Pipe)
CERTIFICATION	UL 737-1996 (U.S.A.) & ULC S627-00 (CAN) - Vented Wood Fireplaces
EFFICIENCY	59.4%

PRODUCT OPTIONS & ACCESSORIES

FIREPLACE MODEL

PRODUCT	ITEM CODE
BATHYSCAFOCUS - Black Finish	FCS-WD-BATH
BATHYSCAFOCUS - White Finish	FCS-WD-BATH-WHITE

ADJUSTABLE SUSPENSION PLATE

PRODUCT	ITEM CODE
For 8" Flue Pipe and Ceiling Pitch is 0° to 45°	FCS-SUSPLT-04-IND-BLK

FIXED SUSPENSION PLATE

PRODUCT	ITEM CODE
For a Fireplace that Uses: - 10" or 12" Pipe OR - 8" Pipe and Ceiling Pitch of > 45°	FCS-SUSPLT-01-SQ

FINISHING PLATE / COVER DISK

PRODUCT	ITEM CODE
For Flat Ceiling	FCS-NSUSCD-F
For Pitched Ceiling	FCS-NSUSCD-P

ADDITIONAL FLUE PIPE

PRODUCT	ITEM CODE
Round Flue 8" OD 2' Length	FCS-FLUE-RND-8OD-2
Round Flue 8" OD 4' Length	FCS-FLUE-RND-8OD-4
Round Flue 8" OD 6' Length	FCS-FLUE-RND-8OD-6

OPTIONAL ACCESSORIES

PRODUCT	ITEM CODE
WALL BRACKET	FCS-WALL-BRKT
ROTATION RESTRICTOR	FCS-LTD-ROT
BLACK SPRAY PAINT	FCS-PT-FBP-02
WHITE SPRAY PAINT	FCS-PT-WHTP

CUT SHEET

Ø 27 9/16"
(Ø 700 mm)

