

DOMOFOCUS INDOOR SUSPENDED FIREPLACE



European Home

Manufacturer and Importer of high-end Gas, Wood and Electric Fireplaces



Iconic designs imported from Southern France



SPECIFICATIONS

FUEL TYPE	Wood
NOMINAL HEAT OUTPUT	6 KW
CARBON DIOXIDE OUTPUT	0.25%
VIEWABLE OPENING	31 1/16" W x 8 1/16" H
HEARTH WEIGHT	214 lbs.
FLUE WEIGHT	10.6 lbs.
ANCHOR PLATE WEIGHT	42 lbs.
VENTING	Natural Vent - 8" Inside Diameter (Class A Pipe)
CERTIFICATION	UL 737-2011 (U.S.A.) & ULC-S627-00 (CAN) - Vented Wood Fireplaces
EFFICIENCY	57.8%

PRODUCT OPTIONS & ACCESSORIES

FIREPLACE MODEL

PRODUCT	ITEM CODE
DOMOFOCUS - Black Finish	FCS-WD-DOMO
DOMOFOCUS - White Finish	FCS-WD-DOMO-WHITE

ADJUSTABLE SUSPENSION PLATE

PRODUCT	ITEM CODE
For 8" Flue Pipe and Ceiling Pitch is 0° to 45°	Black - FCS-SUSPLT-04-IND-BLK White - FCS-SUSPLT-04-IND-WHT

FIXED SUSPENSION PLATE

PRODUCT	ITEM CODE
For a Fireplace that Uses: - 10" or 12" Pipe OR - 8" Pipe and Ceiling Pitch of > 45°	FCS-SUSPLT-01-SQ

FINISHING PLATE / COVER DISK

PRODUCT	ITEM CODE
For Flat Ceiling	FCS-NSUSCD-P-0
For Pitched Ceiling	FCS-NSUSCD-P

ADDITIONAL FLUE PIPE


PRODUCT	ITEM CODE
Round Flue 8" OD 2' Length	FCS-FLUE-RND-8OD-2
Round Flue 8" OD 4' Length	FCS-FLUE-RND-8OD-4
Round Flue 8" OD 6' Length	FCS-FLUE-RND-8OD-6

OPTIONAL ACCESSORIES

PRODUCT	ITEM CODE
WALL BRACKET	FCS-WALL-BRKT
ROTATION RESTRICTOR	FCS-LTD-ROT
BLACK SPRAY PAINT	FCS-PT-FBP-02
WHITE SPRAY PAINT	FCS-PT-WHTP

CUT SHEET

Ø 43 5/16"
Ø 1,100 mm



Ø 8 1/16" id
Ø 205 mm

8" Adaptor

Ø 8 5/8" od
Ø 219 mm

