

PAXFOCUS INDOOR WALL MOUNTED FIREPLACE



European Home

Manufacturer and Importer of high-end Gas, Wood and Electric Fireplaces



Iconic designs imported from Southern France



SPECIFICATIONS

FUEL TYPE	Wood, Natural Gas, or Liquid Propane
NOMINAL HEAT OUTPUT (Wood)	4.5 KW
CARBON DIOXIDE OUTPUT (Wood)	0.15%
HEAT OUTPUT (Natural Gas)	27,000 - 42,000 BTU/hr
HEAT OUTPUT (Liquid Propane)	27,000 - 43,500 BTU/hr
VIEWABLE OPENING	29 1/8" W x 8" H
HEARTH WEIGHT	112 lbs.
FLUE WEIGHT	11 lbs.
ANCHOR PLATE WEIGHT	22 lbs.
VENTING	Natural Vent - 8" Inside Diameter (Class A Pipe)
CERTIFICATION	UL 737-1996 (U.S.A.) & ULC-S627-00 (CAN) - Vented Wood Fireplaces
EFFICIENCY	53.3%

PRODUCT OPTIONS & ACCESSORIES

FIREPLACE MODEL

PRODUCT	ITEM CODE
PAXFOCUS	FCS-WD-PAX

BURNER ASSEMBLY

PRODUCT	ITEM CODE
PAXFOCUS - Vented Natural Gas	FCS-GBK-PAX-NG-02
PAXFOCUS - Vented Liquid Propane	FCS-GBK-PAX-LP-02

FINISHING PLATE / COVER DISK WITH COLLAR

PRODUCT	ITEM CODE
For Flat Ceiling	FCS-NSUSCD-02
For Pitched Ceiling	FCS-NSUSCD-03

ADDITIONAL FLUE PIPE

PRODUCT	ITEM CODE
Round Flue 8" OD 2' Length	FCS-FLUE-RND-8OD-2
Round Flue 8" OD 4' Length	FCS-FLUE-RND-8OD-4
Round Flue 8" OD 6' Length	FCS-FLUE-RND-8OD-6

FIRE MEDIA



BEACH STONES



LOG SET

PRODUCT	ITEM CODE
BEACH STONES	GS-BS-24
LOG SET	E4-LSE-45 II

OPTIONAL ACCESSORIES

PRODUCT	ITEM CODE
BLACK SPRAY PAINT	FCS-PT-FBP-02

CUT SHEET

